

CERTIFICATE OF CONSTANCY OF PERFORMANCE

1239/CPR/0821801

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 laying down harmonised conditions for the marketing of construction products, it's certified that the

Construction product: **Timber structures. Glued laminated timber.**

Scope of Certification: **see Annex**

Provided and Produced by: **ELABORADOS Y FABRICADOS GÁMIZ, S.A.
Ctra. Vitoria-Estella, Nº 2
01110 STA. CRUZ DE CAMPEZO (Álava) SPAIN**

Is subject to a factory production control and to the inspection of samples in accordance to a prescribed test plan by the manufacturer, and that the Notified Body TECNALIA R&I CERTIFICACION S.L. has carried out initial type tests for all relevant characteristics of the product, as well as the initial inspection of the factory and FPC, and the continuous surveillance, assessment and approval of FPC

This certificate shows compliance with all regulations applicable to the conformity assessment in the Annex ZA of the standard

EN 14080:2013

and that the product meets the minimum requirements applicable.

System of assessment and verification of constancy of performance : SYSTEM 1



Issued on: 03/05/2017
Last modified on: 11/11/2019
Expires on: 16/03/2023
Nº serie: 082180103-E



Carlos Nazabal Alsua
Manager

This document allows the manufacturer to fix the CE mark.
This certificate may be modified, temporarily suspended and withdrawn by TECNALIA R&I CERTIFICACION.
The validity of this certificate can be checked through consultation in www.tecnaliacertificacion.com

ANNEX
CERTIFICATE OF CONSTANCY OF PERFORMANCE
1239/CPR/0821801

Construction product: Glued laminated timber.

Strength class:	GL24h
• Wood specie:	PINO RADIATA (<i>Pinus Radiata</i>)
Service classes:	1 (according to EN 1995-1-1)
Adhesive:	MUF Type I according to EN 301:2013
Fire performance:	D-s2,d0
Formaldehyde class:	E1
Natural durability class:	4-5/D-S/S/S